



Slimlite Range Viewers

Slimlite Standard Viewers
Slimlite Flush Mount Viewers
Desktop Spot Viewers
Slimlite Trolley Viewers



X-Ray Illuminators

Slimlite Range Viewers

We continuously review our products and always take into account our customer's preferences, which is why we redesigned the entire Slimlite range of viewers.

All standard models are now supplied with two 'twist and turn' removable tubes and a unique reflector to give unprecedented uniform 'corner to corner' illumination.

We have introduced a new deluxe model featuring four tubes per viewing panel and a high frequency electronic ballast for extremely bright illuminance. The deluxe model also includes dimmer circuitry allowing dimming from 100% down to 5%.

The mobile viewing trolley is available in sizes up to 4 x 4. It is manufactured from smooth powder coated tubular steel with welded 'A' frame supports for strength. It features two lockable castors and a substantial utility shelf.

The desktop spot viewer is A4 sized and has tiltable rear feet for comfortable desktop use. It features a wide angle quartz halogen lamp and a momentary operating switch. A further option for foot-switch operation is also available.

All products carry the **CE** mark and are built from lightly textured powder coated steel unless otherwise stated. Front fascia panels are produced from aluminium extrusion and grey powder coated. Other available colours are based upon quantity.

Slimlite Standard Viewers



[Dimensions](#)


[Click for viewer dimension details](#)

Slimlite Flush Mount Viewers



A viewer designed specifically for flush fitting. With its aesthetic appearance, clean visual lines and economic use of space, this product has obvious appeal.

Slimlite Desktop Spot Viewers



The Desktop Spot contains a 60° focused angel halogen lamp providing high intensity light for examining dark areas of a radiograph. The product is A4 size and has been designed to fit onto any mammography viewing station as well as an ordinary desktop.

Constructed from 1 mm mild steel and powder coated for a smooth finish. The Desktop Spot can be used flat or tilted on the rear titable feet. Power is provided via a mains rocker switch and illuminated by the momentary operating switch (air operated foot switches are also available upon specification).

Dimensions:
Width = 210 mm
Length = 295 mm
Height = 80 mm

Slimlite Mobile Trolley Viewers



The mobile viewing trolley is constructed from heavy-duty, powder coated steel tube.

It has welded 'A' frame supports for strength and to prevent flexing whilst the trolley is being wheeled. All other fixtures consist of hardened steel hexagon head bolts to enable the trolley to be delivered in 'flat-pack' form.

The trolley also has an angled utility shelf constructed from powder coated mild steel and four castors (two of which have wheel brakes).

Trolleys can be manufactured in any combination of sizes.